



# PE Valve

*PE Valve*

## 300 Series Valves

300 Series 4 way Valves 3 to 175 tons 1/2" thru 3-1/8" Line Sizes


Â

**This series valve is available as a pressure differential pilot actuated valve as**

**well as an Actuator driven valve**

Â

These valves may be used in the system to direct flow. In the NORMAL POSITION the discharge gas is routed through the main condenser. In the ENERGIZED POSITION the discharged gas is routed through the auxiliary condenser and the return routed to the main condenser. No check valve is needed. This diagram is a typical heat reclaim configuration.





### **318 Valve**

4 way valve, 81 to 100 tons, 2-5/8" ODF connections [\[Product Details...\]](#)

### **307-2 Valve**

4 way valve, 10.1 to 20.4 tons, 1-3/8" ODF connections [\[Product Details...\]](#)

### **321 Valve**

4 way valve, 101 to 175 tons, 3-1/8" ODF connections [\[Product Details...\]](#)

### **309-1 Valve**

4 way valve, 20.5 to 35.9 tons, 1-3/8" ODF connections [\[Product Details...\]](#)

### **303-1 Valve**

4 way valve, 3 to 6 tons, 5/8" ODF connections [\[Product Details...\]](#)

### **309-2 Valve**

4 way valve, 20.5 to 35.9 tons, 1-5/8" ODF connections [\[Product Details...\]](#)

### **303-2 Valve**

4 way valve, 3 to 6 tons, 3/4" ODF connections [\[Product Details...\]](#)

### **312-1 Valve**

4 way valve, 36 to 56 tons, 1-5/8" ODF connections [\[Product Details...\]](#)

### **306-1 Valve**

4 way valve, 6.1 to 10 tons, 7/8" ODF connections [\[Product Details...\]](#)

### **312-2 Valve**

4 way valve, 36 to 56 tons, 2-1/8" ODF connections [\[Product Details...\]](#)

### **306-2 Valve**

4 way valve, 6.1 to 10 tons, 1-1/8" ODF connections [\[Product Details...\]](#)

### **315 Valve**

4 way valve, 57 to 80 tons, 2-1/8" ODF connections [\[Product Details...\]](#)

### **307-1 Valve**

4 way valve, 10.1 to 20.4 tons, 1-1/8" ODF connections [\[Product Details...\]](#)

- - 
  - 
  - 
  -
- « « Start  
« Prev  
1  
Next »  
End » »

Results 1 - 13 of 13