



PE Valve

PE Valve

1700 Series Valves

1700 Series 4 way Valves 6.1 to 175 tons 7/8" thru 3-1/8" Line Sizes


Â

This series valve is available as a pressure differential pilot actuated valve as

well as an Actuator driven valve

Â

In the NORMAL POSITION, discharge is routed to the main condenser and the auxiliary is pumped out. No solenoid valve is needed. In the ENERGIZED POSITION, discharge is routed to the auxiliary condenser and the return routed to the main condenser. No check valve is needed. The pump out is closed. This diagram is a typical heat reclaim configuration.



1712-2 Valve

4 way valve, 36 to 56 tons, 2-1/8" ODF connections [\[Product Details...\]](#)

1706-2 Valve

4 way valve, 6.1 to 10 tons, 1-1/8" ODF connections [\[Product Details...\]](#)

1715 Valve

4 way valve, 57 to 80 tons, 2-1/8" ODF connections [\[Product Details...\]](#)

1707-1 Valve

4 way valve, 10.1 to 20.4 tons, 1-1/8" ODF connections [\[Product Details...\]](#)

1718 Valve

4 way valve, 81 to 100 tons, 2-5/8" ODF connections [\[Product Details...\]](#)

1707-2 Valve

4 way valve, 10.1 to 20.4 tons, 1-3/8" ODF connections [\[Product Details...\]](#)

1721 Valve

4 way valve, 101 to 175 tons, 3-1/8" ODF connections [\[Product Details...\]](#)

1709-1 Valve

4 way valve, 20.5 to 35.9 tons, 1-3/8" ODF connections [\[Product Details...\]](#)

1709-2 Valve

4 way valve, 20.5 to 35.9 tons, 1-5/8" ODF connections [\[Product Details...\]](#)

1712-1 Valve

4 way valve, 36 to 56 tons, 1-5/8" ODF connections [\[Product Details...\]](#)

1706-1 Valve

4 way valve, 6.1 to 10 tons, 7/8" ODF connections [\[Product Details...\]](#)

- -
 -
 -
 -
- « « Start
« Prev
1
Next »
End » »

Results 1 - 11 of 11